Se' Vulcan

Dare Crawford apparently (sent a letter to the state advising them of things) they should be doing while tilean.

Please get a copy of that letter from the file and let's see what a copy their the state may have done Chick first w/ Dair and them we'll call the state.

Thanks),

KSD007482029



tailds & Environmental Reciber City to

4. Recent discussions with Vulcan personnel have indicated that the modelling done by Prickett on this site did not produce any conclusive, predictive results. EPA has not received or requested a copy of the modelling work done by Prickett. EPA recommends that KDHE obtain a copy of the modelling work done by Prickett and conduct an independent copy of the modelling work done by Prickett and conduct an independent evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE reaches the same conclusions. IF KDHE evaluation to determine if KDHE now indicated that KDHE obtains a provide provide you some assistance in reviewing the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given the volume of water being the modelling work done on this site. Given

5. We understand that Vulcan has recently installed a number of flowmeters in the groundwater monitoring wells at this site. We also understand that Vulcan has installed, and is now operating, an additional interceptor well to control the release of contaminated groundwater to the southwest. At the time that EPA received information for our review, information was not available on either of these recent developments. EPA recommends that KDHE obtain sufficient information on these recent developments

 The Environmental Protection Agency requests the opportunity to receive and review another year's worth of data on this site. Upon receipt and review of data from 1983 and 1984, EPA would again provide comments and recommendations to KDHE.

7. Please be advised that this review did not attempt to address deep well injection of wastes or water at this site. Underground injection is generally not within the scope or jurisdiction of the Superfund/ uncontrolled sites program. Underground injection is regulated in the State of Kansas by KDHE and the EPA Water Division (WATR). WMBR is recommending that WATR review the appropriateness of deep well injection of water and/or wastes at this site.

eper aquifer from additional contaminati reformation and discussions with Vulcan maye indicated that Yulcan has weather could be as part of the proceeded offens at this site. Fill 3. As you know, groundwater is bein, sumped from both the shallow and -5-8. We understand that Vulcan Materials Company has been very willing to we understand that vuican materials company has been very willing to cooperate with KDHE, but we suggest that consideration be given to cooperace with Nume, but we suggest that consideration be given to completing further actions under a consent administrative order thus 9. Given the extensive work done at the site we believe a community involvement program to be conducted by KDHE would serve the Department 10. The 1982 Annual Report contains some discussion of installing additional groundwater monitoring wells to the southeast, which is the natural direction of groundwater flow. Region VII suggests that KDHE determine the areal extent of groundwater contamination to the southeast, if this has not already been done by Vulcan. The file information Region VII has received and reviewed, which was current up to the 1982 Annual Report, contain no additional information about contaminant levels southeast of the site. Many of the issues involved are extremely technical and as a result difficult to adequately address in a letter. Therefore, EPA will be available to meet with you to further discuss these issues. Please are contact me on Dave Crawford if you have any questions on to set up a available to meet with you to further discuss these issues. Flease or contact me or Dave Crawford if you have any questions or to set up a meeting to discuss these matters further. Robert L. Morby
Robert Maste Management Branch
Chief, Waste Management Division
Air and Waste Management Division meeting to discuss these matters further. cc: Barbara Sabol, KDHE

Dennis Murphey, KDHE

CONSTRUCTION

CONSTRUCTIO bcc: Paul Walker, WATR Karen Flournoy, PMTS Never 1. Transpro Project yorker Appa Site Megron vi vis garrane ierzia. Megron vi vis garrane ierzia. U.S. szwinar entak kaza iztak kaja Gy Taci almost Administrations for a still cosene (Click, 15 Inch: Past Jumit and the control of a factor of the control of the c